


# People over 65 with 7 or more ICU days during the last 6 months of life, 2000

Range 3.4 – 17.3% Mean 10.1%



- |   |  |  |   |  |  |
|---|--|--|---|--|--|
| <p><b>A</b> Colorado<br/>Hawaii<br/>New Hampshire<br/>North Dakota<br/>Oregon</p> | <p><b>B</b> Idaho<br/>Iowa<br/>Maine<br/>Massachusetts<br/>Minnesota<br/>Montana<br/>Utah<br/>Vermont<br/>Washington<br/>Wisconsin</p> | <p><b>C</b> Alabama<br/>Alaska<br/>Arizona<br/>Arkansas<br/>California<br/>Connecticut<br/>Georgia<br/>Kansas<br/>Louisiana<br/>Mississippi<br/>Missouri</p> | <p>Nebraska<br/>New Mexico<br/>New York<br/>Nevada<br/>Ohio<br/>Oklahoma<br/>Pennsylvania<br/>Rhode Island<br/>South Dakota<br/>Wyoming</p> | <p><b>D</b> District of Columbia<br/>Illinois<br/>Indiana<br/>Kentucky<br/>Maryland<br/>Michigan<br/>North Carolina<br/>Texas<br/>Virginia<br/>West Virginia</p> | <p><b>E</b> Delaware<br/>Florida<br/>New Jersey<br/>South Carolina<br/>Tennessee</p> |
|---|--|--|---|--|--|

Source: Special analysis by the research team for the *Dartmouth Atlas of Health Care*, [www.dartmouthatlas.org](http://www.dartmouthatlas.org).